



NOTES:

1. DIMENSIONS GIVEN ARE FOR ENDEVCO 7264A-2000 AND 7264B-2000 ACCELEROMETERS ONLY.
2. ALL ACCELEROMETER MOUNTS ARE INTERCHANGEABLE.
3. POSITION ACCURACY OF BLOCKS IN HEAD ± 0.005 .
4. POSITION ACCURACY OF SEISMIC MASS WITHIN ACCELEROMETER ± 0.01 (PER ENDEVCO SPEC.)
5. CENTER OF GRAVITY (C-G) LOCATIONS PER G.M. DRAWINGS 78051-61 AND 78051-338 FOR HYBRID III TEST DUMMY HEAD.

ACCELEROMETER HEAD MOUNT III FOR ENDEVCO 7264A & B ACCELEROMETERS		
SCALE: .75X	DRAWN BY: C.R. MORGAN	
DATE: 1AUG96	MODEL: 3623	
UNLESS OTHERWISE SPECIFIED		
TWO PLACE DECIMALS THREE PLACE DECIMALS ANGLES $\pm 0^\circ 30'$	$\pm .010$ $\pm .005$	SURFACE FINISH 125 ✓ REMOVE ALL BURRS & SHARP EDGES DIMENSION LIMITS HELD AFTER PLATING
ROBERT A. DENTON, INC. ROCHESTER HILLS, MICHIGAN		DRAWING NUMBER: B-3623-D

B WAS B-3623 10/99
A CHG. ACCEL 10/96